



**ATTENTION**

If any components of this unit are broken,  
do not operate properly, or for product returns,  
please contact Pragotrade USA, Inc. at

**1-800-814-4895**

*Outside the U.S. call 440-638-3131.*

For the online catalog, log onto [www.westonsupply.com](http://www.westonsupply.com).

*Exclusively imported by Pragotrade USA, Inc. Strongsville, Ohio*  
**[www.pragotrade.com](http://www.pragotrade.com)**

**WESTON**  
BRAND

# MANUAL WHEAT GRASS JUICER

**STAINLESS STEEL MODEL NO. 36-3801-W**

**HEAVY DUTY MODEL NO. 36-3701-W**

## INSTRUCTIONS




REV 11/21/06



## MANUAL WHEAT GRASS JUICER

STAINLESS STEEL MODEL NO. 36-3801-W

HEAVY DUTY MODEL NO. 36-3701-W



### COMPONENT LIST

| DIAGRAM<br>NUMBER | PART<br>DESCRIPTION               | Stainless Steel<br>36-3801-W<br>Part # | Heavy Duty<br>36-3701-W<br>Part # |
|-------------------|-----------------------------------|----------------------------------------|-----------------------------------|
| 1                 | Juicer Body                       | 36-3709                                | 36-3717                           |
| 2                 | Rubber Foot Protector             | 36-3708                                | 36-3717                           |
| 3                 | Clamping Screw                    | N/A                                    | N/A                               |
| 4A                | SS Pulp Regulator                 | 36-3710                                | N/A                               |
| 4B                | Tinned Pulp Regulator             | N/A                                    | 36-3718                           |
| 5                 | Screen                            | 36-3707                                | 36-3707                           |
| 6                 | Auger                             | 36-3706                                | 36-3715                           |
| 7                 | Auger Retainer                    | 36-3704                                | 36-3713                           |
| 8                 | Thumbscrew with Cap Washer (2)    | 36-3703                                | 36-3703                           |
| 9                 | Handle Thumbscrew with Cap Washer | 36-3702                                | 36-3702                           |
| 10                | Handle                            | 36-3705                                | 36-3714                           |
| 11                | Rubber Gasket                     | 36-3712                                | 36-3712                           |

If any components of this unit are broken or the unit does not operate properly, call Pragotrade, USA, Inc. Toll Free at

**1-800-814-4895**

Monday thru Friday 8:00am-5:00pm EST.  
Outside the U.S. call 440-638-3131

**Thank you for purchasing the Weston Brand Wheat Grass Juicer.** With a few simple assembly steps, you can enjoy the benefits of fresh made wheat grass juice.

Wheat grass is considered to be a complete food in itself. Nutritionally, one pound of fresh wheat grass is equivalent to 23 pounds of fresh vegetables. However, to get this nutrition, wheat grass has to be liquefied before being consumed. Reason being, the

## WARRANTY INFORMATION

SAVE THIS WARRANTY INFORMATION FOR YOUR RECORDS!

Pragotrade USA, Inc. warrants to the ORIGINAL RETAIL PURCHASER of this product that if operated in accordance with the printed instruction accompanying it, then for a period of 1 year from the date of purchase, the product shall be free from defects in material and workmanship.

The Warranty Card, along with a copy of the original receipt, must be received by Pragotrade USA, Inc. within 30 days from purchase date for the warranty to apply. Failure to send the completely filled out Warranty Card, along with a copy of the original receipt, will void the warranty.

The product must be delivered to or shipped freight prepaid to Pragotrade, USA, Inc. for warranty services, in either its original packaging or similar packaging affording an equal degree of protection. Damage due to shipping is not the responsibility of the company. Pragotrade USA, Inc. charges a \$35.00 per hour bench charge. NOTE: No repairs will be started without the authorization of the customer. The return shipping cost to the customer will be added to the repair invoice.

Pragotrade USA, Inc. will repair (or at its discretion, replace) the product free of charge, if in the judgment of the company, it has been proven to be defective as to seller's labor and material, within the warranty period.

New or rebuilt replacements for factory defective parts will be supplied for one (1) year from the date of purchase. Replacement parts are warranted for the remainder of the original warranty period.

For non-warranty repairs, contact Pragotrade's Customer Service at 1-800-814-4895 M-F 8am-5pm EST (outside of the United States 440-638-3131) to obtain a Return Authorization Number (RMA Number). Pragotrade will refuse all returns that do not contain this number. **DO NOT RETURN THE UNIT WITHOUT PROPER AUTHORIZATION FROM PRAGOTRADE USA, INC.**

**LIMITATIONS:** The warranty is void if the product is used for any purpose other than which it is designed. The product must not have been previously altered, repaired, or serviced by anyone else other than Pragotrade, USA, Inc. If applicable, the serial number must not have been altered or removed. The product must not have been subjected to accident in transit or while in the customer's possession, misused, abused, or operated contrary to the instructions contained in the instruction manual. This includes failure caused by neglect of reasonable and necessary maintenance, improper line voltage and acts of nature. This warranty is not transferable and applies only to U.S. and Canadian sales.

Except to the extent prohibited by applicable law, no other warranties whether expressed or implied, including warranty merchantability and fitness for a particular purpose, shall apply to this product. Under no circumstances shall Pragotrade USA, Inc. be liable for consequential damages sustained in connection with said product and Pragotrade, USA, Inc. neither assumes nor authorizes any representative or other person to assume for it any obligation or liability other than such as is expressly set forth herein. Any applicable implied warranties are also limited to the one (1) year period of the limited warranty.

This warranty covers only the product and its specific parts, not the food or other products processed in it.  
**CUT ALONG THE DOTTED LINE AND SEND THE WARRANTY CARD ALONG WITH A COPY OF YOUR ORIGINAL PURCHASE RECEIPT TO:**

**Pragotrade USA, Inc.**

**20365 Progress Drive, Strongsville, OH 44149**

## WARRANTY CARD

SEND THIS CARD ALONG WITH A COPY OF YOUR ORIGINAL PURCHASE RECEIPT

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

Telephone Number: (\_\_\_\_\_) \_\_\_\_\_

E-Mail Address: \_\_\_\_\_

Original Date of Purchase: \_\_\_\_/\_\_\_\_/\_\_\_\_

Product Model #: \_\_\_\_\_

Serial # (if applicable): \_\_\_\_\_

- Wheat grass poultices may be applied to the gums for pyorrhea.
- Minimizes the effect of exposure to harmful chemicals and radiation.
- Reduces the level of toxic metals, such as lead, cadmium, mercury, aluminum and copper.
- Improves the functioning of the heart, vascular system, uterus, intestines, and lungs.
- Wheat grass pulp, soaked in the juice, may be applied to the skin as a poultice for burns, wounds, cuts, bites or infections.

**NOTE:** This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease. It is important to consult your physician before adding any supplement to your diet.

## HOW TO TAKE WHEAT GRASS JUICE:

When you begin drinking the juice, start slowly. Take one or two tablespoons of the liquid daily, at first. It's recommended that you consume it in the morning on an empty stomach, and avoid solid foods for about 20 minutes afterward.

Sip the juice slowly, mixing it with your saliva before swallowing it. Wheat grass juice often brings on feelings of nausea when the enzymes present in the juice mix with the toxins and mucus in your stomach. If that happens, lie down and rest until the feeling passes. The wheat grass is not toxic or harmful to you.

## RECOMMENDED DOSAGE:

Start out with 1-2 oz. of wheat grass juice per day for the first week, which can gradually be increased to 4 oz. a day.

**NOTE:** This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease. It is important to consult your physician before adding any supplement to your diet.

## RECIPES

### LIFE JUICE

Grass Juice

Buckwheat Lettuce Juice

Sunflower Greens Juice

### Preparation

- Cut and wash ingredients
- Feed through juicer
- Mix in any proportion you enjoy most -Buckwheat Lettuce is the mildest flavor so you might consider starting like this: 50% Buckwheat, 40% Sunflower, 10% Grass
- Serve fresh

### LIFE JUICE COCKTAIL

Grass Juice

Apple Juice

Carrot Juice

Any other juices including but not limited to:

Beet

Celery

Orange

Musk Melon

Watermelon

- Cut and wash ingredients
- Juice the apples
- **NOTE:** When the juicer foams up run a few carrots through to clear it out, repeat
- Feed the wheat grass into the juicer

fibrous nature is not digestible by humans.

Drinking wheat grass is said to help your body to build red blood cells which carry oxygen to all the other cells. By increasing the amount of red blood cells and oxygen in your system, you can help offset environmental pollutants and increase your physical endurance.

Your **Wheat Grass Juicer** can also be used for grapes, berries and other leafy vegetables. Why buy juice from the store when it can be made right in the convenience of your home? You are in control of what additives are added, allowing for better control of your daily intake and maintaining a more balanced diet.

**NOTE:** This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease. It is important to consult your physician before adding any supplement to your diet.

## GENERAL SAFETY RULES



### WARNING!

**READ AND FULLY UNDERSTAND ALL INSTRUCTIONS AND WARNINGS PRIOR TO USING THIS APPLIANCE. YOUR SAFETY IS MOST IMPORTANT: FAILURE TO COMPLY WITH PROCEDURES AND SAFE GUARDS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE. REMEMBER: YOUR PERSONAL SAFETY IS YOUR RESPONSIBILITY!**

1. Read all instructions before using the Juicer.
2. Close adult supervision is necessary when the Juicer is used near children. **NEVER** leave the Juicer unattended around small children.
3. The use of attachments from other manufacturers is not recommended, personal injury or damage to the Juicer may result.
4. **DO NOT** put your fingers or hands into Juicer, as serious injury will result.
5. **DO NOT** continue to operate this Juicer after it malfunctions, is dropped, or damaged in any other manner. For service, return the Juicer to the nearest authorized service facility for repair or adjustment.
6. Thoroughly clean all parts that will come into contact with food before you use the Juicer for the first time.
9. **AVOID** contacting moving parts. Wait until all moving parts have stopped before removing any parts of the Juicer.
10. **WEAR EYE PROTECTION!** Wear safety glasses. Everyday eye glasses are NOT safety glasses. Safety Glasses conform to ANSI Z87.1 requirements. **NOTE: Approved safety glasses have "Z87" printed or stamped on them.**
11. **DO NOT** use the Juicer while under the influence of drugs, medications or alcohol.
12. **TIE BACK** loose hair and clothing, and roll up long sleeves before operating the Juicer. **REMOVE** ties, rings, watches, bracelets or other jewelry before operating the Juicer.
13. Keep fingers clear of the auger and grinding plates at all times.

## SAVE THESE INSTRUCTIONS!

Refer to them often and use them to instruct others.

## CLEANING INSTRUCTIONS

- Before using for the first time, you must completely disassemble the **Juicer** and thoroughly clean all parts with hot water and dish detergent. Rinse with clean water and dry thoroughly.
- DO NOT clean in a dishwasher.

## DISASSEMBLY INSTRUCTIONS

1. Remove the **Handle Thumbscrew with Cap Washer** and remove the **Handle** from the **Auger**.
2. Completely remove the two **Thumbscrews with Cap Washers** and take off the **Auger Retainer**.
3. Remove the **Auger** from the **Juicer Body**.
4. Slide the **Screen** out from the **Juicer Body**.
5. Turning counter-clockwise, remove the **Pulp Regulator**.
6. Remove the **Rubber Foot Protector**.

## ASSEMBLY INSTRUCTIONS

1. Securely clamp the **Juicer Body** to the edge of a table or counter top. Make sure the **Rubber Foot Protector** is positioned on the **Juicer Body Foot** to prevent damage to the work surface. **NOTE:** *The maximum recommended thickness of the clamping surface should not exceed 1 1/2"*
2. Insert the **Screen** completely into the **Juicer Body**.
3. Position the **Auger** in the **Grinder Body**, so it rests on top of the **Screen**.
4. Position the **Auger Retainer** on the **Juicer Body**, until the end of the **Auger** protrudes from the middle of the **Auger Retainer**.
5. Secure the **Auger Retainer** to the **Juicer Body** using the two **Thumbscrews with Cap Washers**.  
  
**NOTE:** Before securing, make sure the **Rubber Seal** is properly positioned between the **Juicer Body** and **Auger Retainer**.
6. Install the **Handle** onto the end of the **Auger**, securing with the **Handle Thumbscrew with Cap Washer**.
7. Screw the **Pulp Regulator** onto the end of the **Juicer Body**.

## PULP REGULATOR SETTINGS

- By adjusting the **Pulp Regulator** up and down, you can determine how much juice is extracted from the pulp. This setting is a personal preference and results can be determined during the early stages of using your **Wheat Grass Juicer** for the first time.
- **MORE EXTRACTION:** Turn the **Pulp Regulator** clockwise to move the **Regulator** down and apply more pressure to the wheat grass as it is being squeezed, resulting in more juice.
- **LESS EXTRACTION:** Turn the **Pulp Regulator** counter-clockwise to move the **Regulator** up and apply less pressure to the wheat grass as it is being squeezed, resulting in less juice.

## TIPS FOR SAFE AND EASY OPERATION

- Always make sure the material you are juicing is completely free of any hard material that may cause damage to the **Screen** and **Auger**.
- Turn the **Handle** at constant speed.
- Try to avoid starting and stopping the **Handle** while juicing.
- If the **Juicer** becomes jammed, and the **Handle** will not turn, briefly turn the **Handle** counter-clockwise to remove jam. Resume normal operation.
- Do Not fill the **Juicer Body** with more material than what you plan on using.
- Always make sure the **Juicer Body** is securely attached to work surface before you start juicing.

## ABOUT WHEAT GRASS JUICE

Health-conscious individuals term wheat grass as one of the so-called "green foods" that is valued as a great source of natural nutrients. In juice form, wheat grass contains 70% Chlorophyll, which is often referred to as the blood of plant life and most closely resembles the molecules of human red blood cells. Chlorophyll has been shown to produce an unfavorable environment for bacterial growth in the body and therefore effective in increasing the body resistance to illness.

### WHEAT GRASS JUICE CAN ALSO:

- Help to reduce high blood pressure, as it cleanses the bloodstream.
- Enhances the white blood cell count, strengthening the immune system.
- Alleviates anemia, as the chlorophyll raises the hemoglobin level of the blood.
- Supplies laetrile, which selectively destroys cancerous cells without harming normal cells.
- Rubbed into scalp, reduces dandruff and restores the normal color to hair.
- Used as a mouth wash, relieves toothache and sore throat, and helps prevent tooth decay.
- Is one of the richest sources of vitamins A, B, and C. It is an excellent source of calcium, iron, magnesium, phosphorus, potassium, sodium, sulfur, cobalt, zinc, and protein.